



## WaterMark

### Certificate of Conformity

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

### FMCG Industry Solutions Pty Ltd

#### Trading as FMCG Industry Solutions Pty Ltd

The right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database [www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme](http://www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme) which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Stainless Steel Wastes  
Product Use: Sanitary Waste  
Brand: OZFLOW  
Certification Specification: AS 3495:1997 Stainless steel non-pressure pipes and fittings  
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date: 22<sup>nd</sup> December 2025  
Initial Issue Date: 22<sup>nd</sup> December 2025  
Expiry Date: 22<sup>nd</sup> December 2030

Simon Clarke  
General Manager

**Certificate No.: 23527**

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety.



Pro-Switch Pty Ltd  
ABN 37 121 022 366  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CRO0



# WaterMark Certification Schedule

WaterMark Approved User	FMCG Industry Solutions Pty Ltd ABN: 22135446007
Approved User Address	Address: Factory 11A, 1-3 Endeavour Road, Caringbah NSW 2229 Website: <a href="http://www.fmccgis.com.au">www.fmccgis.com.au</a>
Certificate Number	23527
Certification Standard	AS 3495:1997 Stainless steel non-pressure pipes and fittings

## Product List

Model ID	Model Name	Brand Name	Product Description
A-75-400-150-E-S	Floor Drain 447/400/160V/SQ	OzFlow	447x447mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste Hinged Bar Grate Vertical Outlet
A-75-600-200-E-S	Floor Drain 647/400/200V/SQ	OzFlow	647x647mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste Hinged Bar Grate Vertical Outlet
A-88N-100-E-S	Floor Drain 230/167/110V/SQ	OzFlow	230x230mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Vertical Outlet
A-88N-100-E-S-HV	Floor Drain 230/179-199/110V/SQ	OzFlow	230x230mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) with Sealed Cover Plate Vertical Outlet
A-88N-100-E-W	Floor Drain 230/192/110H/SQ	OzFlow	230x230mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Horizontal Outlet
A-88N-100-E-W-HV	Floor Drain 230/249-269/110V/SQ	OzFlow	230x230mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) with Sealed Cover Plate Horizontal Outlet
A-88N-100-RD-S	Floor Drain 235/167/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Vertical Outlet
A-88N-100-RD-S-HV	Floor Drain 235/179-199/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) with Sealed Cover Plate Vertical Outlet
A-88N-100-RD-W	Floor Drain 235/192/110H/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Horizontal Outlet
A-88N-100-RD-W-HV	Floor Drain 235/249-269/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) with Sealed Cover Plate Horizontal Outlet



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: [support@pro-switch.com.au](mailto:support@pro-switch.com.au)  
[www.pro-switch.com.au](http://www.pro-switch.com.au)



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-91-100-E-S	Floor Drain 290/175/110V/SQ	OzFlow	290x290mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Vertical Outlet
A-91-100-RD-S	Floor Drain 257/175/110V/RD	OzFlow	257mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Sealed Cover Plate Vertical Outlet
A-97-100-E-S	Floor Drain 290/160/110V/SQ	OzFlow	290x290mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Grate (Circular Holes) Vertical Outlet
A-97-100-RD-S	Floor Drain 257/160/110V/RD	OzFlow	257mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Grate (Circular Holes) Vertical Outlet
A-AS-110	Air Trap Lockable DN 110	OzFlow	DN100 Trap Lockable Stainless Steel (#304/316Ti/316L)
A-AS-160	Air Trap Lockable DN 160	OzFlow	DN150 Trap Lockable Stainless Steel (#304/316Ti/316L)
A-AS-200	Air Trap Lockable DN 200	OzFlow	DN200 Trap Lockable Stainless Steel (#304/316Ti/316L)
A-DR-100-E-S	Floor Drain 246/170/110V/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DR-100-E-W	Floor Drain 246/195/110H/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DR-100-RD-S	Floor Drain 270/170/110V/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DR-100-RD-W	Floor Drain 270/195/110H/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-DR-150-E-S	Floor Drain 310/180/160V/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DR-150-E-W	Floor Drain 310/237/160H/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DR-150-RD-S	Floor Drain 331/180/160V/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DR-150-RD-W	Floor Drain 331/237/160H/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-DR-200-E-S	Floor Drain 410/225/200V/SQ	OzFlow	410x110mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DR-200-E-W	Floor Drain 410/418/200H/SQ	OzFlow	410x110mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DR-200-RD-S	Floor Drain 410/225/200V/RD	OzFlow	410mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DR-200-RD-W	Floor Drain 410/418/200H/RD	OzFlow	410mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-DRS-100-E-S	Floor Drain 246/210/110V/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DRS-100-E-W	Floor Drain 246/220/110H/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DRS-100-RD-S	Floor Drain 270/210/110V/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DRS-100-RD-W	Floor Drain 270/220/110H/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-DRS-150-E-S	Floor Drain 310/250/160V/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DRS-150-E-W	Floor Drain 310/290/160H/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DRS-150-RD-S	Floor Drain 331/250/160V/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DRS-150-RD-W	Floor Drain 331/290/160H/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-DRS-200-E-S	Floor Drain 410/315/200V/SQ	OzFlow	410x110mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DRS-200-E-W	Floor Drain 410/541/200H/SQ	OzFlow	410x110mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DRS-200-RD-S	Floor Drain 410/315/200V/RD	OzFlow	410mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-DRS-200-RD-W	Floor Drain 410/541/200H/RD	OzFlow	410mmxDN200 (200mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-DRSK-100-E-S	Floor Drain 200/175/110V/SQ	OzFlow	200x200mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Vertical Outlet
A-DRSK-100-E-W	Floor Drain 200/175/110V/SQ	OzFlow	200x200mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Square Grate Horizontal Outlet
A-DRSK-100-RD-S	Floor Drain 235/175/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Vertical Outlet
A-DRSK-100-RD-W	Floor Drain 235/175/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste for use with Round Grate Horizontal Outlet
A-GR-RH-E-246	Mesh grate anti-slip 246 Square	OzFlow	Mesh Grate 246mmx246mm Square Stainless Steel (#304/316Ti/316L) Anti Slip
A-GR-RH-E-310	Mesh grate anti-slip 310 Square	OzFlow	Mesh Grate 310mmx310mm Square Stainless Steel (#304/316Ti/316L) Anti Slip
A-GR-RH-RDS-270	Mesh grate anti-slip 270 Round	OzFlow	Mesh Grate 270 Round Stainless Steel (#304/316Ti/316L) Anti Slip
A-GR-RH-RDS-331	Mesh grate anti-slip 331 Round	OzFlow	Mesh Grate 331 Round Stainless Steel (#304/316Ti/316L)
A-GVS-110	Air Trap Plug-In DN 110	OzFlow	DN100 Trap Plug In Stainless Steel (#304/316Ti/316L)
A-GVS-160	Air Trap Plug-In DN 160	OzFlow	DN150 Trap Plug In Stainless Steel (#304/316Ti/316L)
A-GVS-200	Air Trap Plug-In DN 200	OzFlow	DN200 Trap Plug In Stainless Steel (#304/316Ti/316L)
A-GVV-110	Air Trap Bolted DN 110	OzFlow	DN100 Trap Bolted Stainless Steel (#304/316Ti/316L)
A-GVV-160	Air Trap Bolted DN 160	OzFlow	DN150 Trap Bolted Stainless Steel (#304/316Ti/316L)
A-GVV-200	Air Trap Bolted DN 200	OzFlow	DN200 Trap Bolted Stainless Steel (#304/316Ti/316L)



Pro-Switch Pty Ltd  
 PO Box 3082  
 Norman Park QLD 4170 Australia  
 Phone: +61 448 235 770  
 Email: support@pro-switch.com.au  
 www.pro-switch.com.au  
 ABN 37 121 022 366



Certificate Number: 23527  
 Issue Date: 22/12/2025  
 Revision: CR00



## WaterMark Certification Schedule

A-H-100-E-S	Floor Drain 246/238-258/110V/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Vertical Outlet
A-H-100-E-W	Floor Drain 246/238-258/110H/SQ	OzFlow	246x246mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Horizontal Outlet
A-H-100-RD-S	Floor Drain 270/238-258/110V/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Vertical Outlet
A-H-100-RD-W	Floor Drain 270/238-258/110H/RD	OzFlow	270mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Horizontal Outlet
A-H-150-E-S	Floor Drain 310/269-289/160V/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Vertical Outlet
A-H-150-E-W	Floor Drain 310/293-313/160H/SQ	OzFlow	310x310mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Horizontal Outlet
A-H-150-RD-S	Floor Drain 331/269-289/160V/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Vertical Outlet
A-H-150-RD-W	Floor Drain 331/293-313/160H/RD	OzFlow	331mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Horizontal Outlet
A-HK-100-E-S	Floor Drain 200/179-199/110V/SQ	OzFlow	200x200mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Vertical Outlet
A-HK-100-E-W	Floor Drain 200/249-269/110H/SQ	OzFlow	200x200mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Square Grate Horizontal Outlet
A-HK-100-RD-S	Floor Drain 235/179-199/110V/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Vertical Outlet
A-HK-100-RD-W	Floor Drain 235/249-269/110H/RD	OzFlow	235mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste (Adjustable Height) for use with Round Grate Horizontal Outlet
A-P-E-246	Plate 10mm grate 246 Square	OzFlow	Plate Grate 246mmx246mm Square 10mm Stainless Steel (#304/316Ti/316L)
A-P-E-310	Plate 10mm grate 310 Square	OzFlow	Plate Grate 310mmx310mm Square 10mm Stainless Steel (#304/316Ti/316L)
A-PRD-270	Plate 10mm sealed cover 270 Round	OzFlow	Plate Grate 270 Round 10mm Stainless Steel (#304/316Ti/316L) Sealed



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-PRD-331	Plate 10mm sealed cover 331 Round	OzFlow	Plate Grate 331 Round 10mm Stainless Steel (#304/316Ti/316L) Sealed
A-P-RDS-270	Plate 10mm grate 270 Round	OzFlow	Plate Grate 270 Round 10mm Stainless Steel (#304/316Ti/316L)
A-P-RDS-331	Plate 10mm grate 331 Round	OzFlow	Plate Grate 331 Round 10mm Stainless Steel (#304/316Ti/316L)
A-PRD-V	Inspection Point Cover Round	OzFlow	Inspection Point Grate Round 218mm x 10mm Stainless Steel (#316Ti) Sealed Stainless Steel (#304/316Ti/316L)
A-REV-100-E-S	Inspection Point 190/199/110V/SQ	OzFlow	190mmx190mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Square Vertical Outlet
A-REV-100-E-S-HV	Inspection Point 190/225-375/110V/SQ	OzFlow	190mmx190mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Square Vertical Outlet Adjustable Height
A-REV-100-RD-S	Inspection Point 218/199/110V/RD	OzFlow	218mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Round Vertical Outlet
A-REV-100-RD-S-HV	Inspection Point 218/225-375/110V/SQ	OzFlow	218mmxDN100 (110mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Round Vertical Outlet Adjustable Height
A-REV-150-E-S	Inspection Point 190/208/160V/SQ	OzFlow	190mmx190mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Square Vertical Outlet
A-REV-150-E-S-HV	Inspection Point 190/234-384/160V/SQ	OzFlow	190mmx190mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Square Vertical Outlet Adjustable Height
A-REV-150-RD-S	Inspection Point 218/208/160V/RD	OzFlow	218mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Round Vertical Outlet
A-REV-150-RD-S-HV	Inspection Point 218/234-384/160V/SQ	OzFlow	218mmxDN150 (160mm) Stainless Steel (#304/316Ti/316L) Floor Waste with Inspection Opening Cover Plate Round Vertical Outlet Adjustable Height
A-SBS-110-2	Outlet Strainer DN110 2MM Bolted	OzFlow	Outlet Strainer (2mm holes) DN100 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-110-4	Outlet Strainer DN110 4MM Bolted	OzFlow	Outlet Strainer (4mm holes) DN100 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-160-2	Outlet Strainer DN160 2MM Bolted	OzFlow	Outlet Strainer (2mm holes) DN150 Bolted Stainless Steel (#304/316Ti/316L)



Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au  
ABN 37 121 022 366



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-SBS-160-4	Outlet Strainer DN160 4MM Bolted	OzFlow	Outlet Strainer (4mm holes) DN150 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-200-2	Outlet Strainer DN200 2MM Bolted	OzFlow	Outlet Strainer (2mm holes) DN200 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-200-4	Outlet Strainer DN200 4MM Bolted	OzFlow	Outlet Strainer (4mm holes) DN200 Bolted Stainless Steel (#304/316Ti/316L)
A-SF-218-2	Shallow Basket 2MM Perforations for 218 bodies 50 mm depth	OzFlow	Removable Basket (2mm holes) for 218 Floor Drain Bodies 50mm Depth Stainless Steel (#304/316Ti/316L)
A-SF-218-4	Shallow Basket 4MM Perforations 218 bodies 50 mm depth	OzFlow	Removable Basket (4mm holes) for 218 Floor Drain Bodies 50mm Depth Stainless Steel (#304/316Ti/316L)
A-SF-283-2	Shallow Basket 2MM Perforations for 283 bodies	OzFlow	Removable Basket (2mm holes) 50mm Depth for 283 Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
A-SF-283-4	Shallow Basket 4MM Perforations for 283 bodies	OzFlow	Removable Basket (4mm holes) 50mm Depth for 283 Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
A-SFD-218-2	Deep Basket 2mm Perforation for 218 bodies 120 mm depth	OzFlow	Removable Basket (2mm holes) for 218 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)
A-SFD-218-4	Deep Basket 4mm Perforation for 218 bodies 120 mm depth	OzFlow	Removable Basket (4mm holes) for 218 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)
A-SFD-283-2	Deep Basket 2mm Perforation for 283 bodies	OzFlow	Removable Basket (2mm holes) for 283 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)
A-SFD-283-4	Deep Basket 4mm Perforation for 283 bodies	OzFlow	Removable Basket (4mm holes) for 283 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)
A-SR-E-246	Bar grate 246 Square	OzFlow	Bar Grate 246mmx246mm Square Stainless Steel (#304/316Ti/316L)
A-SR-E-310	Bar grate 310 Square	OzFlow	Bar Grate 310mmx310mm Square Stainless Steel (#304/316Ti/316L)
A-SR-RDS-270	Bar grate 270 Round	OzFlow	Bar Grate 270mm Round Stainless Steel (#304/316Ti/316L)
A-SR-RDS-331	Bar grate 331 Round	OzFlow	Bar Grate 331mm Round Stainless Steel (#304/316Ti/316L)



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

A-SR-RH-E-246	Bar grate anti-slip 246 Square	OzFlow	Bar Grate 246mmx246mm Square Stainless Steel (#304/316Ti/316L) Anti Slip
A-SR-RH-E-310	Bar grate anti-slip 310 Square	OzFlow	Bar Grate 310mmx310mm Square Stainless Steel (#304/316Ti/316L) Anti Slip
A-SR-RH-RDS-270	Bar grate anti-slip 270 Round	OzFlow	Bar Grate 270mm Round Stainless Steel (#304/316Ti/316L) Anti Slip
A-SR-RH-RDS-331	Bar grate anti-slip 331 Round	OzFlow	Bar Grate 331mm Round Stainless Steel (#304/316Ti/316L) Anti Slip
SFD-400-2	Deep Basket 2mm Perforation for A-75-400-150-E-S	OzFlow	Removable Basket (2mm holes) for 400 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
SFD-400-4	Deep Basket 4mm Perforation for A-75-400-150-E-S	OzFlow	Removable Basket (4mm holes) for 400 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
SFD-600-2	Deep Basket 2mm Perforation for A-75-600-200-E-S	OzFlow	Removable Basket (2mm holes) for 600 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
SFD-600-4	Deep Basket 4mm Perforation for A-75-600-200-E-S	OzFlow	Removable Basket (4mm holes) for 600 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
A-SBS-110-10	Outlet Strainer DN110 10MM Bolted	OzFlow	Outlet Strainer (10mm holes) DN100 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-160-10	Outlet Strainer DN160 10MM Bolted	OzFlow	Outlet Strainer (10mm holes) DN150 Bolted Stainless Steel (#304/316Ti/316L)
A-SBS-200-10	Outlet Strainer DN200 10MM Bolted	OzFlow	Outlet Strainer (10mm holes) DN200 Bolted Stainless Steel (#304/316Ti/316L)
A-SF-218-10	Shallow Basket 10MM Perforations 218 bodies 50 mm depth	OzFlow	Removable Basket (10mm holes) for 218 Floor Drain Bodies 50mm Depth Stainless Steel (#304/316Ti/316L)
A-SF-283-10	Shallow Basket 10MM Perforations for 283 bodies	OzFlow	Removable Basket (10mm holes) 50mm Depth for 283 Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
A-SFD-218-10	Deep Basket 10mm Perforation for 218 bodies 120 mm depth	OzFlow	Removable Basket (10mm holes) for 218 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)
A-SFD-283-10	Deep Basket 10mm Perforation for 283 bodies	OzFlow	Removable Basket (10mm holes) for 283 Floor Drain Bodies 150mm Depth Stainless Steel (#304/316Ti/316L)



Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au  
ABN 37 121 022 366



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00



## WaterMark Certification Schedule

SFD-400-10	Deep Basket 10mm Perforation for A-75-400-150-E-S	OzFlow	Removable Basket (10mm holes) for 400 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)
SFD-600-10	Deep Basket 10mm Perforation for A-75-600-200-E-S	OzFlow	Removable Basket (10mm holes) for 600 Square Floor Drain Bodies Stainless Steel (#304/316Ti/316L)



ABN 37 121 022 366

Pro-Switch Pty Ltd  
PO Box 3082  
Norman Park QLD 4170 Australia  
Phone: +61 448 235 770  
Email: support@pro-switch.com.au  
www.pro-switch.com.au



Certificate Number: 23527  
Issue Date: 22/12/2025  
Revision: CR00